

Incident Type Count Report

Date Range: From 4/1/2019 To 4/30/2019

Selected Station(s): All

Incident

<u>Type</u>	<u>Description</u>	<u>Count</u>	
Station:			
Incident Type is blanks		55	21.83%
Total - incident type left blank		55	100.00%
Total for Station		55	21.83%
Station: 75			
111 - Building fire		1	0.40%
113 - Cooking fire, confined to container		1	0.40%
131 - Passenger vehicle fire		1	0.40%
151 - Outside rubbish, trash or waste fire		4	1.59%
Total - Fires		7	7.69%
321 - EMS call, excluding vehicle accident with injury		43	17.06%
322 - Vehicle accident with injuries		7	2.78%
324 - Motor vehicle accident with no injuries		6	2.38%
Total - Rescue & Emergency Medical Service Incidents		56	61.54%
412 - Gas leak (natural gas or LPG)		1	0.40%
Total - Hazardous Conditions (No fire)		1	1.10%
531 - Smoke or odor removal		1	0.40%
553 - Public service		1	0.40%
554 - Assist invalid		4	1.59%
Total - Service Call		6	6.59%
611 - Dispatched & cancelled en route		14	5.56%
611E - EMS: Dispatched & cancelled en route		3	1.19%
651 - Smoke scare, odor of smoke		1	0.40%
6610 - EMS call cancelled		1	0.40%
Total - Good Intent Call		19	20.88%
700 - False alarm or false call, other		1	0.40%
735 - Alarm system sounded due to malfunction		1	0.40%
Total - Fals Alarm & False Call		2	2.20%
Total for Station		91	36.11%
Station: 76			
321 - EMS call, excluding vehicle accident with injury		60	23.81%
322 - Vehicle accident with injuries		5	1.98%
324 - Motor vehicle accident with no injuries		1	0.40%
Total - Rescue & Emergency Medical Service Incidents		66	62.26%
400 - Hazardous condition, other		1	0.40%
442 - Overheated motor		1	0.40%
4630 - Vehicle accident, Non Injury		1	0.40%
Total - Hazardous Conditions (No fire)		3	2.83%
553 - Public service		1	0.40%
Total - Service Call		1	0.94%

Incident

<u>Type</u>	<u>Description</u>	<u>Count</u>	
Station: 76 - (Continued)			
611	- Dispatched & cancelled en route	25	9.92%
622	- No incident found on arrival at dispatch address	1	0.40%
Total - Good Intent Call		26	24.53%
700	- False alarm or false call, other	4	1.59%
733	- Smoke detector activation due to malfunction	1	0.40%
736	- CO detector activation due to malfunction	1	0.40%
743	- Smoke detector activation, no fire - unintentional	2	0.79%
746	- Carbon monoxide detector activation, no CO	2	0.79%
Total - Fals Alarm & False Call		10	9.43%
Total for Station		106	42.06%
		252	100.00%